

研究論文目録 (2009)

地球資源学科

応用地球科学講座

「学会論文集(誌)・学協会誌」

- 天野和孝, 永田 覚, 佐藤時幸, 柳沢幸夫, 栗田義隆 (2009) : 鮮新世における北部フォッサマグナ地域への暖流の影響—新潟県南魚沼市鎌倉沢川の四十日層および魚沼層群最下部軟体動物群の検討を通じて—, 地質学雑誌, 115 巻, 597-609 頁.
- 千代延俊, 猿渡隼人, 佐藤時幸, 権元淳一, 井龍康文 (2009) : 沖縄本島勝連半島に分布する知念層の石灰質ナンノ化石層序, 地質学雑誌, 115 巻, 528-39 頁.
- 北 逸郎, 長谷川英尚, 佐藤時幸, 林 辰弥, 小島 淳 (2009) : 石灰質ナンノ化石量と窒素同位体比の相関変動—植物プランクトンによる硝酸消費プロセスの実証—, 化石, 86 号, 59-66 頁.
- Ohba T., Matsuoka, K., Kimura Y., Ishikawa, H. and Fujimaki, H. (2009) : Deep crystallization differentiation of arc tholeiite basalt magmas from northern Honshu arc, Japan, *J. Petrology*, Vol.50, p.1025-46.
- Sakanaka, S. (2009) : The application of computed piezomagnetic models to volcanic phenomena, *Physics and Chemistry of the Earth*, Vol.34, No.6-7, p.386-93.
- 坂中伸也, 西谷忠師, 網田和宏, 三浦卓也, 篠原弘志, 市原 寛, 上島 誠, 三品正明, 茂木 透, 山谷 祐介, 小川康雄 (2009) : 2008 年岩手・宮城内陸地震(Mj7.2)震源域周辺の 2 次元比抵抗構造, 東北地域災害科学研究, 45 巻, 41-6 頁.
- 佐藤比奈子, 石山大三, 水田敏夫, 松葉谷治, 村上史一 (2010) : 秋田県玉川温泉の温泉水と温泉沈殿物の地球科学的特徴, 資源地質, 60 巻, 15-24 頁.
- 佐藤時幸, 千代延俊 (2009) : 石灰質ナンノ化石サイズ変化と Discoaster 生産量からみた新生代古海洋変動, 化石, 86 号, 12-9 頁.
- Sato, T., Chiyonobu, S. and Hodell, D. A. (2009) : Quaternary calcareous nannofossil datums and biochronology in the North Atlantic Ocean, *IODP Site U1308, IODP*, Vol.303, p.1-9.
- Shimada, C., Sato, T., Yamasaki, M., Hasegawa, S. and Tanaka, Y. (2009) : Drastic change in the late Pliocene subarctic Pacific diatom community associated with the onset of the Northern Hemisphere Glaciation, *Palaeogeography, Palaeoclimatology, Palaeoecology*, Vol.279, p.207-15.
- Shimada, C., Nakamachi, M., Tanaka, Y., Yamasaki, M. and Kuwata, A. (2009) : Effects of nutrients on diatom skeletal silicification: Evidence from *Neodenticula seminae* culture experiments and morphometric analysis, *Mar. Micropaleontol.*, Vol.73, p.164-77.

Yoshimura, R., Oshiman, N., Uyeshima, M., Toh, H., Uto, T., Kanazaki, H., Mochido, Y., Aizawa, K., Ogawa, Y., Nishitani, T., Sakanaka, S., Mishina, M., Satoh, H., Goto, T., Kasaya, T., Yamaguchi, S., Murakami, H., Mogi, T., Yamaya, Y., Harada, M., Shiozaki, I., Honkura, Y., Koyama, S., Nakao, S., Wada, Y. and Fujita, Y. (2009) : Magnetotelluric transect across the Niigata-Kobe tectonic zone, central Japan: A clear correlation between strain accumulation and resistivity structure, *Geophys. Res. Lett.*, Vol.36, L20311, doi:10.1029/2009GL040016.

「研究機関報告等」

大場 司, 山元正継, 近藤 梓, 鈴木真悟, 林信太郎 (2009) : 岩手宮城内陸地震土砂災害地域の地質層序, 平成 20 年度北東北国立 3 大学連携推進研究プロジェクト岩手・宮城内陸地震被害調査研究報告書, 24-35 頁.

山元正継, 林信太郎, 大場 司, 近藤 梓, 深井勇年, 鈴木真悟 (2009) : 岩手・宮城内陸地震によって発生した秋田県南部高松川沿い天矢場の地すべりについて, 平成 20 年度北東北国立 3 大学連携推進研究プロジェクト岩手・宮城内陸地震被害調査研究報告書, 60-7 頁.

地球システム工学講座

「学会論文集 (誌) ・学協会誌」

Imai, T., Kamoshida, N., Kato, H. and Sugimoto, F. (2009) : Laboratory hydraulic fracturing experiments for determining reopening and closing pressures of fractures, *Int. J. Soc. Mater. Eng. Resour.*, Vol.16, No.2, p.5-10.

今井忠男, 馬場将行, 杉本文男 (2009) : 実積率の高いクラッシュラン砕石の生産法とその路盤性能, 砕石の研究, 24 巻, 1 号, 1-12 頁.

今井忠男, 杉本文男 (2009) : 低品質な火山岩砕石のコンクリート用骨材への利用可能性 -粗骨材の力学的基準について-, 建設用原材料, 17 巻, 1 号, 1-8 頁.

川辺金光, 杉本文男, 今井忠男 (2009) : ボーリングコアを用いた SBC 試験による破壊靱性値 K1C の方向特性評価について, 応用地質, 第 50 巻, 第 5 号, 262-72 頁.

Kobayashi, H., Ikarashi, K., Uematsu, K., Toda, K., Okawa, H., Taoyun, Z. and Sato, M. (2009) : One-dimensional channels constructed from hydrogen bonding networks among 4,4'-bipyridine units and water molecules available for accommodation of polyoxomolybdate clusters, *Inorganica Chimica Acta*, 1, Vol.362., p.238-42.

Otomo, T., Takasaki, Y. and Sato, H. (2009) : Granule design for the sintering with less amount of liquid phase formation, *ISIJ International*, Vol.49, p.659-66.

Zhu, T., Ikarashi, K., Ishigaki, T., Uematsu, K., Toda, K., Okawa, H. and Sato, M. (2009) : Structure and luminescence of sodium and lanthanide(III) coordination polymers with pyridine-2,6-dicarboxylic acid, *Inorganica Chimica Acta*, 10, Vol.362, p.3407-14.

Zhu, T., Murokawa, K., Uematsu, K., Ishigaki, T., Toda, K., Okawa, H. and Sato M. (2009) : One-dimensional coordination polymers of praseodymium(III)–vanadium(V) complexes with pyridine-2,6-dicarboxylic acid, *Polyhedron*, 11, Vol.28, p.2196-200.

「学術関係誌等」

今井忠男, 網田和宏, 大柿廣明, 堀井 新, 杉本文男 (2009) : 側方流水圧による表層崩壊メカニズムについて, *東北地域災害科学研究*, 45号, 1-6頁.

「国際会議報告集等」

Kaomohara, A., Kawamura, Y., Nakahata, Y., Okawa, H. and Mizutani, K. (2009) : A fundamental study of the surface-wave method: The use of a giant-magnetostriction vibrator as seismic source, *International Symposium on Earth Science and Technology 2009*, p.437-42.

Okawa, H., Hosokawa, R. and Saito, T. (2009) : Research on the extraction of bitumen from oil sand treated by ultrasound irradiation, *The 30th Symposium on Ultrasonic Electronics, Kyoto, Japan*, Vol.30, p.151-2.

Onishi, K. and Yamaguchi, S. (2009) : Modeling interfacial tension by interparticle forces for particle method, *Recent Advantage in Exploration Geophysics*, Vol.13, p.59-62.

環境応用化学科

素材プロセス工学講座

「学術論文集 (誌) ・学協会誌」

Jikei, M., Itoh, H., Yoshida, N., Inai, Y., Hayakawa, T. and Kakimoto, M. (2009) : Synthesis of hyperbranched poly(ether nitrile)s by one-step polycondensation of an AB₂ monomer, *J. Polym. Sci. Part A: Polym. Chem.*, Vol.47, No.21, p.5835-44.

寺境光俊 (2009) : 末端に多重相互作用点を導入した新規デンドリティックポリアミドの合成と性質, 素材物性学雑誌, 22 巻, 1/2 号, 8-12 頁.

Tongamp, W., Takasaki, Y. and Shibayama, A. (2009) : Arsenic removal from copper ores and concentrates through alkaline leaching in NaHS media, *Hydrometallurgy*, Vol.98, p.213-18.

王 立邦, 佐藤大輔, Gjergj Dodbiba, 岡屋克則, 定木 淳, 藤田豊久, 柴山 敦, 菱田 元 (2009) : コバルト・リッチ・クラストから白金を回収するための電気破碎に関する基礎研究, 環境資源工学, 56 巻, 1 号, 26-32 頁.

柴山 敦 (2009) : レアメタル資源の回収技術～鉱物資源としてみるレアメタルの分離選別とリサイクル技術への展開～, 環境浄化技術, 8 巻, 5 号, 16-20 頁.

「国際会議報告集等」

Jikei, M., Kuzuhara, T. and Itoh, H. (2009) : Preparation of dendritic aromatic polyamides by solid-phase synthesis, *Proceedings of "Polycondensation 2008"* (Polycondensation 2008, Tokyo, 2008), p.53-5.

Jikei, M. (2009) : Synthesis and properties of dendritic-linear copolymer having multiple interaction sites, *Proceedings for ICMR2009* (ICMR2009, Akita, 2009), p.123-6.

Kai, T. and Jikei, M. (2009) : Synthesis and properties of poly (arylene ether) by self-polycondensation of novel AB type monomer, *Proceedings for ICMR2009* (ICMR2009, Akita, 2009), p.473-5.

Shibayama, A., Takasaki, Y., Haga, K., Umeda, H., Sasaki, A. and Takahashi, K. (2009) : Metal recovery from effluent water of metallurgical refining processes by cementation and solvent extraction, *Proceedings of the 5th European Metallurgical Conference* (EMC 2009, Innsbruck, Austria), Vol.1, p.375-83.

Umeda, H., Haga, K., Takasaki, Y., Shibayama, A., Sasaki, A. and Takahashi, K. (2009) : Recovery of precious metals from wastewater discharged from scrap recycling processes, *Proceedings of the 5th European Metallurgical Conference* (EMC2009, Innsbruck, Austria), Vol.1, p.395-408.

Tongamp, W., Takasaki, Y. and Shibayama, A. (2009) : Arsenic removal from copper ores & concentrates through alkaline leaching in NaHS media, *Proceedings of the 5th European Metallurgical Conference* (EMC2009, Innsbruck, Austria), Vol.2, p.757-69.

- Pana, R. J., Tongamp, W., Takasaki, Y. and Shibayama, A. (2009) : Recovery of Pt and Pd from PGM mine tailings by magnetic separation, *The Sixth International Conference on Material Engineering for Resources (ICMR2009, Akita, Japan), PC conference proceedings of ICMR2009*, p.225-8.
- Wang, L. P., Sato, D., Dodbiba, G., Sadaki, J., Fujita, T., Shibayama, A. and Hishida, H. (2009) : Recovery of platinum from cobalt-rich crust - proposal of an in-situ recovery method, *The Sixth International Conference on Material Engineering for Resources (ICMR2009, Akita, Japan), PC conference proceedings of ICMR2009*, p.267-70.
- Haga, K., Takasaki, Y., Shibayama, A., Umeda, H., Sasaki, A. and Takahashi, K. (2009) : Study of metal recovery from effluent water of metallurgical refining process, *Proceedings of the 10th International Symposium on East Asian Resources Recycling Technology (EARTH2009, Jeju, Korea)*, p.364-67.
- Pana, R. J., Tongamp, W., Takasaki, Y. and Shibayama, A. (2009) : Recovery of Nd and Dy from rare earth magnetic waste sludge by hydrometallurgical process, *Proceedings of the 10th International Symposium on East Asian Resources Recycling Technology (EARTH2009, Jeju, Korea)*, p.440-3.
- Haga, K., Tongamp, W., Takasaki, Y. and Shibayama, A. (2009) : Experimental investigation of selective flotation for removal of arsenic from copper resource, *Proceedings of International Symposium on Earth Science and Technology (CINEST2009, Fukuoka, Japan)*, p.359-62.

環境・素材設計工学講座

「学術論文集（誌）・学協会誌」

- 和嶋隆昌, 池上康之 (2009) : アルカリ溶融法を用いた砂岩砕石屑からのX型ゼオライトの合成, *日本金属学会誌*, 73 巻, 2 号, 124-30 頁.
- 和嶋隆昌, 池上康之 (2009) : ハイドロタルサイトを用いた地熱水中からの砒素・シリカの同時除去, *応用地質*, 50 巻, 1 号, 29-34 頁.
- 和嶋隆昌, 池上康之 (2009) : 製紙スラッジ焼却飛灰の酸性重金属溶液浄化能に関する基礎的検討, *廃棄物資源循環学会論文誌*, 20 巻, 1 号, 68-73 頁.
- 和嶋隆昌, 志水倫恵, 大和武彦, 池上康之 (2009) : 海水からの灌漑用水製造を目指した天然ゼオライトによる簡易脱塩処理に関する基礎的研究, *素材物性学雑誌*, 22 巻, 18-22 頁.
- Kawamura, Y., Iwai, Y., Hayashi, T., Yamanishi, T. and Munakata, K. (2009) : Adsorption capacity of tritium on mordenite at low temperature, *Fusion Sci. Technol.*, Vol.56, p.168-72.
- Munakata, K., Takeishi, T., Kajii, S., Wajima, T. and Kawamura, Y. (2009) : Adsorption of hydrogen isotopes on various adsorbents at cryogenic temperature, *Fusion Sci. Technol.*, Vol.56, p.153-7.

- Munakata, K., Shinozaki, T., Inoue, K., Kajii, S., Shinozaki, Y., Knitter, R., Bekris, N., Fujii, T., Yamana, H. and Okuno, K. (2009) : Tritium release from lithium orthosilicate pebbles deposited with palladium, *J. Nucl. Mater.*, Vol.386-388, p.1091-4.
- Tanaka, M., Uda, T., Shinozaki, Y. and Munakata, K. (2009) : Hydrogen and methane oxidation performances of hybrid honeycomb catalyst for a tritium removal system, *Fusion Eng. Des.*, Vol.84, p.1818-22.
- Wajima, T. and Ikegami, Y. (2009) : Synthesis of crystalline zeolite-13X from waste porcelain using alkali fusion, *Ceram. Int.*, Vol.35, p.2983-6.
- Wajima, T. (2009) : Modification of Japanese natural diatomite to supply silica into alkali solution using thermal treatment and acid leaching, *Clay Sci.*, Vol.14, p.55-60.
- 菅原 靖, 菅原勝康, 菅原拓男 (2009) : 浸漬発芽工程排液に含まれる微生物の薄層光触媒による不活性化に及ぼす光強度の影響, 化学工学論文集, 35 巻, 3 号, 278-92 頁.
- 野中利瀬弘, 船山 齊, 菅原勝康 (2009) : 超硬スクラップ中タンタルとニオブの塩化揮発挙動, 化学工学論文集, 35 巻, 4 号, 403-10 頁.
- 中村貴司, 大川浩一, 川村洋平, 高畑重幸, 中 秀夫, 菅原勝康 (2009) : 超音波を利用した比内緑色凝灰岩懸濁液の沈殿処理に関する研究, 環境資源工学, 56 巻, 1 号, 13-20 頁.
- Hu, H. and Sugawara, K. (2009) : Magnetic field-assisted synthesis of Ni nanoparticles: selective control of particle shape, *Chemical Physics Letters*, Vol.477, p.184-8.
- Hu, H. and Sugawara, K. (2009) : Ag-catalyzed synthesis of ultra-fine nickel nanoparticles: a facile way to size control, *Material Letters*, Vol.63, p.940-2.
- Hu, H. and Sugawara, K. (2009) : Preparation of sea-urchin like nickel particles under rapid wet chemical process, *J. Chem. Eng. Jpn.*, Vol.42, p.s85-9.
- Mochizuki, Y. and Sugawara, K. (2009) : Effect of pre-treatment and additives on boron release during pyrolysis and gasification of coal, *Energy Fuels*, Vol.23, No.9, p.4502-6.
- Murakami, K., Wajima, T., Kato, T., Sugawara, K. and Sugawara, T. (2009) : Thermodynamic and kinetic studies on Cs⁺- and Sr²⁺-exchange in natural zeolite from Akita, Japan, *Toxicological & Environmental Chemistry*, Vol.91, No.6, p.1023-34.
- Sugawara, K., Suzuki, H., Kato, T., Sugawara, T., Otsuka, M. and Funayama, H. (2009) : Photo-oxidation of ethylene with hydrogen peroxide, *J. Chem. Eng. Jpn.*, Vol.42, p.s50-5.

Wajima, T., Kiguchi, O., Sugawara, K. and Sugawara, T. (2009) : Synthesis of zeolite-A using silica from rice husk ash, *J. Chem. Eng. Jpn.*, Vol.42, p.s61-6.

Wajima, T., Umeta, Y., Narita, S. and Sugawara, K. (2009) : Adsorption behavior of fluoride ions using a titanium hydroxide-derived adsorbent, *Desalination*, Vol.249, p.323-30.

Wajima, T., Murakami, K., Kato, T. and Sugawara, K. (2009) : Heavy metal removal from aqueous solution using carbonaceous K₂S-impregnated adsorbent, *J. Environ. Sci.*, Vol.21, p.1730-4.

「国際会議報告集等」

Wajima, T. and Sugawara, K. (2009) : Synthesis of hydrocalumite from coal fly ash with addition of CaO, *International Symposium on Zeolites and Microporous Crystals 2009 (ZMPC2009, Tokyo, Japan)*, P2-64.

Wajima, T., Katekari, K., Munakata, K., Takeishi, T., Hara, K., Wada, K., Inoue, K., Shinozaki, Y., Mochizuki, K., Tanaka, M. and Uta, T. (2009) : Adsorption characteristics of water vapor on honeycomb adsorbent, *14th International Conference on Fusion Reactor Materials (ICFRM-14, Sapporo, Japan)*, P3-147.

Mochizuki, K., Munakata, K., Wada, K., Wajima, T., Hara, K., Shinozaki, T., Takeishi, T., Knitter, R., Bekris, N., Fujii, T., Yamana, H. and Okuno, K. (2009) : Tritium release from ceramic breeder materials deposited with noble metals, *14th International Conference on Fusion Reactor Materials (ICFRM-14, Sapporo, Japan)*, P1-078.

Munakata, K., Wajima, T., Hara, K., Wada, K., Shinozaki, Y., Katekari, K., Mochizuki, K., Tanaka, M. and Uta, T. (2009) : Oxidation of hydrogen isotopes over honeycomb catalysts, *14th International Conference on Fusion Reactor Materials (ICFRM-14)*, P3-149.

Wajima, T., Katekari, K., Munakata, K., Takeishi, T., Hara, K., Wada, K., Inoue, K., Shinozaki, Y., Mochizuki, K., Tanaka, M. and Uta, T. (2009) : Adsorption characteristics of water vapor on honeycomb adsorbent, *9th International Symposium on Fusion Nuclear Technology (ISFNT-9)*, 03-039.

Mochizuki, K., Munakata, K., Hara, K., Wajima, T., Wada, K., Shinozaki, T., Takeishi, T., Knitter, R., Bekris, N., Fujii, T., Yamana, H. and Okuno, K. (2009) : Study of isotope exchange reactions on ceramic breeder materials deposited with noble metal, *9th International Symposium on Fusion Nuclear Technology (ISFNT-9)*, 02-024.

Munakata, K., Wajima, T., Hara, K., Wada, K., Takeishi, T., Shinozaki, Y., Mochizuki, K., Katekari, K., Kobayashi, K., Iwai, Y., Hayashi, T. and Yamanishi, T. (2009) : Tritium release experiments with CATS and numerical simulation, *9th International Symposium on Fusion Nuclear Technology (ISFNT-9)*, 03-036.

Wajima, T. (2009) : Removal of Ca from paper sludge ash via acid leaching to synthesize zeolitic material, *The 10th International Symposium on East Asian Resources Recycling Technology (EARTH 2009, Jeju, Korea)*,

p.484-7.

- Kato, T. and Sugawara, K. (2009) : Release behavior of mercury during heat treatments of coal, *8th World Congress of Chemical Engineering (WCCE8, Montreal, Canada, 2009)*, No.1317.
- Mochizuki, Y. and Sugawara, K. (2009) : Selective removal of organic sulfur from coal extract by metal loaded carbon, *The 10th Japan-China Symposium on Coal and C₁ Chemistry (Tsukuba, Japan, 2009)*, P-2.
- Murakami, K., Kasai, K., Kato, T. and Sugawara, K. (2009) : Conversion of rice straw into valuable products by hydrothermal treatment and steam gasification, *The 10th Japan-China Symposium on Coal and C₁ Chemistry (Tsukuba, Japan, 2009)*, P-18.
- Nakamura, T., Okawa, H., Kawamura, Y. and Sugawara, K. (2009) : The application of sonication for purifying soil contaminated with microorganism, *USE2009*.
- Sugawara, K., Ohta, M., Kato, T., Sugawara, T., Otsuka, M. and Funayama, H. (2009) : Photo-oxidation of methanethiol with hydrogen peroxide, *8th World Congress of Chemical Engineering (WCCE8, Montreal, Canada, 2009)*, No.0034.
- Wajima, T. and Sugawara, K. (2009) : Synthesis of zeolitic material from paper sludge ash using diatomite, *8th World Congress of Chemical Engineering (WCCE8, Montreal, Canada, 2009)*, No.371.
- Wajima, T., Ikegami, Y. and Sugawara, K. (2009) : Treatment of Geothermal Water from Geothermal plant using Hydrotalcite for Removal of Harmful Anions, *Proceedings of the 19th International Offshore and Polar Engineering Conference (ISOPE, Osaka, Japan, 2009)*, p.263-8.
- Wajima, T. and Sugawara, K. (2009) : Material conversion from various incinerated ashes using alkali fusion method, *Proceedings of International Conference of Materials for Resources (ICMR, Akita, Japan, 2009)*, p.282-8.

化学システム学講座

「学術論文集 (誌) ・学協会誌」

- Gotoh, T., Awa, H., Kikuchi, K.-I. and Takahashi, S. (2009) : Expression and in situ processing of human prorenin to active human renin by baculovirus-infected Sf-9 insect cells, *Biochem. Eng. J.*, Vol.43, No.3, p.216-20.
- Gotoh, T., Kagaya, A. and Kikuchi, K.-I. (2009) : Reactivity of *Rhizopus niveus* lipase immobilized on silica gels in o/w emulsion, *Jpn. J. Food Chem. Safety*, Vol.16, No.1, p.34-8.
- 高橋 博, 亀山智明, 菊地賢一 (2009) : イオン交換膜を用いた電気透析法ならびに拡散透析法による酵素反応溶液からの γ -アミノ酪酸の分離, *J. Ion-Exch.*, 20 巻, 2 号, 64-9 頁.

村上賢治, 布田 潔, 菅井幹夫 (2009) : 褐炭の炭化に及ぼすイオン交換金属の影響, *J. Min. Mater. Process. Inst. Jpn.*, 125 巻, 1 号, 38-42 頁.

小原典子, 和田佳久, 成田修司, 八柳 潤, 布田 潔 (2009) : 玉川温泉下流域における鉄酸化細菌の生息分布, *水環境学会誌*, 32 巻, 1 号, 29-32 頁.

「国際会議報告集等」

Gotoh, T., Awa, H., Kikuchi, K.-I. and Takahashi, S. (2009) : Direct production of active human renin by baculovirus-infected Sf-9 insect cell culture, *Proceedings of 8th World Congress of Chemical Engineering* (WCCE8, Montréal, Canada), 6 pages (Electronic file).

Fuda, K., Murakami, K., Shoji, T. and Sugiyama, S. (2009): Thermoelectric Properties of Nb-Doped SrTiO₃ / TiO₂ Multiphase Composite, *Mater. Res. Soc. Symp. Proc.*, Vol. 1166, N03-05 (6 pages).

生命化学科

基礎生命化学講座

「学会論文集 (誌) ・学協会誌」

Izumi, Y., Otaka, M., Takahashi, T., Takada, M., Shimada, Y., Asaoka, D., Nagahara, A., Itoh, H. and Watanabe, S. (2009) : Specific induction of a 72-kDa heat shock protein protects esophageal mucosa from reflux esophagitis, *Life Sci.*, Vol.84, p.517-22.

Otaka, M., Odashima, M., Izumi, Y., Nagahara, A., Osada, T., Sakamoto, N., Takada, M., Takahashi, T., Shimada, Y., Tamaki, K., Asaoka, D., Itoh, H. and Watanabe, S. (2009) : Target molecules of molecular chaperone (HSP70 family) in injured gastric mucosa in vivo, *Life Sci.*, Vol.84, p.664-7.

Mezaki, Y., Yamaguchi, N., Yoshikawa, K., Miura, M., Imai, K., Itoh, H. and Senoo, H. (2009) : Insoluble speckled cytosolic distribution of retinoic acid receptor alpha protein as a marker of hepatic stellate cell activation in vitro, *J. Histochem. Cytochem.*, Vol.57, p.687-99.

Tsuji, T., Kato, A., Yasuda, H., Miyaji, T., Luo, J., Sakao, Y., Itoh, H., Fujigaki, Y. and Hishida, A. (2009) : The dimethylthiourea-induced attenuation of cisplatin nephrotoxicity is associated with the augmented induction of heat shock proteins, *Toxicol. Appl. Pharmacol.*, Vol.234, p.202-8.

Ishida, Y., Yamamoto, A., Kitamura, A., Lamande, S. R., Yoshimori, T., Bateman, J. F., Kubota, H. and Nagata, K. (2009) : Autophagic elimination of misfolded procollagen aggregates in the endoplasmic reticulum as a means of cell protection, *Mol. Biol. Cell*, Vol.20, p.2744-54.

Ikedo, M., Naitoh, M., Kubota, H., Ishiko, T., Yoshikawa, K., Yamawaki, S., Kurokawa, M., Utani, A., Nakamura, T., Nagata, K. and Suzuki, S. (2009) : Elastic fiber assembly is disrupted by excessive accumulation of chondroitin sulfate in the human dermal fibrotic disease, keloid, *Biochem. Biophys. Res. Commun.*, Vol.390, p.1221-8.

Kubota, H. (2009) : Quality control against misfolded proteins in the cytosol: a network for cell survival, *J. Biochem.*, Vol.146, p.609-16.

Kampinga, H. H., Hageman, J., Vos, M. J., Kubota, H., Tanguay, R. M., Bruford, E. A., Cheetham, M. E., Chen, B. and Hightower, L. E. (2009) : Guidelines for the nomenclature of the human heat shock proteins, *Cell Stress Chaperones*, Vol.14, p.105-11.

「国際会議報告集等」

Itoh, H. (2009) : The induction mechanism of the molecular chaperone HSP70 in the gastric mucosa by geranylgeranylacetone (HSP-inducer), *The 4th International Congress on Stress Responses in Biology and Medicine* (Sapporo, Japan), p.126.

- Kubota, H., Yamamoto, S., Yamamoto, Y. and Itoh, H. (2009) : Increased expression of HOP and chaperone complex formation in human colonic carcinoma, *The 4th International Congress on Stress Responses in Biology and Medicine* (Sapporo, Japan), p.169.
- Ishida, R., Takaoka, Y., Yamamoto, S., Miyazaki, T., Otaka, M., Watanabe, S., Komatsuda, A., Wakui, H., Sawada, K., Kubota, H. and Itoh, H. (2009) : Cisplatin differently affects amino terminal and carboxyl terminal domains of HSP90, *The 4th International Congress on Stress Responses in Biology and Medicine* (Sapporo, Japan), p.186.
- Yamamoto, S., Nakano, S., Kubota, H. and Itoh, H. (2009) : The antibiotic gentamicin (GM) was specifically bound to HSP70 C-domain and inhibited HSP40/HSC70 chaperone activity, *The 4th International Congress on Stress Responses in Biology and Medicine* (Sapporo, Japan), p.187.
- Kubota, H., Kitamura, A., Itoh, H., Kinjo, M. and Nagata, K. (2009) : Fluorescently labeled proteins as a tool for analyzing the dynamics of protein quality control in living cells, *The Sixth Conference on Materials Engineering for Resources* (Akita, Japan), p.12.

応用生命化学講座

「学会論文集（誌）・学協会誌」

- Matsumura, N., Kagaya, M., Kondo, Y., Akagami, Y. and Hamada, F. (2009) : Synthesis and its DNA detecting ability of fluorescent modified β -cyclodextrins having long chain connected by pyrene unit, *Int. J. of the Soc. of Mat. Eng. for Resources.*, Vol.16, p.16-21.
- Shiku, H., Takeda, M., Murata, T., Akiba, U., Hamada, F. and Matsue, T. (2009) : Development of electrochemical reporter assay using HeLa cells transfected with vector plasmids encoding various responsive elements, *Anal. Chim. Acta*, Vol.640, p.87-92.
- Hasegawa, T., Kondo, Y., Koizumi, Y., Sugiyama, T., Takeda, A., Ito, S. and Hamada, F. (2009) : A highly sensitive probe detecting low pH area of HeLa cells based on rhodamine B modified β -cyclodextrins, *Bioorg. Med. Chem.*, Vol.17, p.6015-9 .
- 赤間三浩, 山田 学, 島川良文, 伊藤慎一, 李 春斌, 柴山 敦, 近藤良彦, 濱田文男, (2009) : カルボン酸修飾チアカリックス[6]アレーン誘導体を用いた希少金属溶媒抽出における pH 及び対イオンの影響, *素材物性学雑誌*, 22 巻, 13-7 頁.
- Amatatsu, Y. (2009) : Potential energy surfaces for the S_1 - S_0 relaxation of *trans*-diphenyldiphosphene in the P=P rotation-restricted condition, *J. Phys. Chem. A*, Vol.113, p.9667-74.
- Kikuchi, R., Oba, M., Yoshimura, K., Ozeki, T., Kajikawa, M. and Ogawa, N. (2009) : Summer ionic pollution of easterly cold wind (Yamase) fog at the Hachimantai mountain range in northern Japan, *Int. J. Soc. Mater. Eng. Resour.*, Vol.16, p.1-4.

- Fujiwara, K., Kasaya, H. and Ogawa, N. (2009) : Gold nanoparticle monolayer formation on a chemically modified glass surface, *Anal. Sci.*, Vol.25, p.241-8.
- Kikuchi, R., Takada, M., Hifumi, K., Yoshimura, K., Ozeki, T., Kimoto, T., Kajikawa, M. and Ogawa, N. (2009) : The degree of Cl-loss for the particle matter (PM) and Fog water sampled at the same air mass at the Hachimantai mountain range in northern Japan, *Atmos Res.*, Vol.94, p.501-9.
- 菊池良栄, 尾関 徹, 川信 明 (2009): 霧と放射霧のエアロゾル水溶性成分と不溶性成分の取り込み機構, 分析化学, 58 巻, 197-209 頁.
- 竹山舞子, 菊地良栄, 熊谷正則, 天野敏男, 尾関 徹, 藤原一彦, 小川信明 (2009) : ポータブル近赤外分光分析装置を用いる毛髪の保湿力の測定, 分析化学, 58 巻, 667-73 頁.
- Li, H., Takahashi, Y., Kumagai, M., Fujiwara, K., Kikuchi, R., Yoshimura, N., Amano, T., Lin, J. and Ogawa, N. (2009) : A chemometrics approach for distinguishing between beers using near infrared spectroscopy, *J. Near Infrared Spectrosc.*, Vol.17, p.69-76.
- 「国際会議報告集等」
- Li, C., Yamada, M., Itoh, S., Kondo, Y. and Hamada, F. (2009) : A hexameric wheel-shaped assembly based on upper and lower rim modified thiacalix[6]arene derivative, *10th International Conference on Calixarene Chemistry* (Seoul, Korea), SL-2.
- Kondo, Y., Akama, M., Yamada, M., Shibayama, A. and Hamada, F. (2009) : High selective extraction of Pd and Zr cations based on thiacalix[6]arene derivatives, *10th International Conference on Calixarene Chemistry* (Seoul, Korea), P-67.
- Yamada, M., Shimakawa, Y., Kondo, Y. and Hamada, F. (2009) : Supramolecular architecture based on rubidium complex of thiacalix[4]arene as a versatile π -donor, *10th International Conference on Calixarene Chemistry* (Seoul, Korea), p-109.
- Shimakawa, Y., Yamada, M., Kondo, Y. and Hamada, F. (2009) : Supramolecular architecture of thiacalix[4]arene complex with cesium ion (Cs^+), *10th International Conference on Calixarene Chemistry* (Seoul, Korea), p-110.
- Hashitani, Y., Yamada, M., Kondo, Y., Shibayama, A. and Hamada, F. (2009) : The extractability of rare metals with diethylphosphatethiacalix[6]arene, *10th International Conference on Calixarene Chemistry* (Seoul, Korea), p-123.
- Kondo, Y., Akama, M., Yamada, M., Shibayama, A. and Hamada, F. (2009) : Extraction behavior of Pd and Zr in the mix metal solution with thiacalix[6]arene derivatives, *1st International Conference on Cucurbiturils* (Pohang, Korea), p-16.

- Kondo, Y. and Hamada, F. (2009) : A highly sensitive probe detecting low pH area of living cell based on modified β -cyclodextrin, *The 6th International Conference on Materials Engineering for Resources* (Akita, Japan), p-105.
- Kondo, Y., Akama, M., Yamada, M., Itoh, S., Li, C., Shibayama, A. and Hamada, F. (2009) : Extractability of PGM from mixed metal solution with New Derivative of Thiacalix[6]arene, *The 6th International Conference on Materials Engineering for Resources* (Akita, Japan), p-288.
- Yamada, M., Shimakawa, Y., Kondo, Y. and Hamada, F. (2009) : Supramolecular assembly based on thiacalix[4]arene complex with rubidium ion (Rb^+), *The 6th International Conference on Materials Engineering for Resources* (Akita, Japan), p-356.
- Shimakawa, Y., Yamada, M., Kondo, Y. and Hamada, F. (2009) : Synthesis and crystal structure of thiacalix[4]arene complex with cesium ions (Cs^+), *The 6th International Conference on Materials Engineering for Resources* (Akita, Japan), p-361.
- Takeda, A., Matsumura, N., Kondo, Y., Akimoto, K. and Hamada, F. (2009) : Double stranded DNA discrimination by novel di-pyrene modified γ -cyclodextrins, *The 6th International Conference on Materials Engineering for Resources* (Akita, Japan), p-364.
- Hashitani, Y., Yamada, M., Kondo, Y., Shibayama, A. and Hamada, F. (2009) : Extraction ability of rare metals with diethylphosphatethiacalix[6]arene, *The 6th International Conference on Materials Engineering for Resources* (Akita, Japan), p-368.

材料工学科

材料物性学講座

「学術論文集 (誌) ・学協会誌」

菅原茂夫, 鎌田直治 (2009) : n型GaP結晶(111)面のNaOH水溶液におけるアノード溶解, 日本金属学会誌, 73巻, 8号, 613-7頁.

菅原茂夫, 高橋久夫, 石垣正利, 後藤大輔, 小森大輔 (2009) : Si(100)および(111)基板に急速蒸着させたAl薄膜の配向成長, 日本金属学会誌, 73巻, 12号, 906-12頁.

Wang, D. and Kodama, N. (2009) : Visible quantum cutting through downconversion in $\text{GdPO}_4:\text{Tb}^{3+}$ and $\text{Sr}_3\text{Gd}(\text{PO}_4)_3:\text{Tb}^{3+}$, *J. Solid State Chem.*, Vol.182, p.2219-24.

Tsujiuchi, Y., Furuya, K., Matsumoto, J., Makino, Y., Ito, M., Masumoto, H. and Goto, T. (2009) : Layer by layer composite film of dimyristoyl-phosphatidylcholine and bacteriorhodopsin fabricated by multilayer molecular thin film method using fatty acid and lipid, *Thin Solid Films*, Vol.518, p.600-5.

「研究機関報告等」

Tsujiuchi, Y., Furuya, K., Masumoto, H. and Goto, T. (2009) : Hydrogenated amorphous silicon film and electron transfer and its control in interface between the hydrogenated amorphous silicon film and organic color molecular thin film for design of bio molecular device, *Annual Report on Collaborative Researches Advanced Research Center of Metallic Glasses, Institute for Materials Research, Tohoku University*, p.15-6.

知能材料学講座

「学会論文集 (誌) ・学協会誌」

Fu, Y., Ishio, S., Wang, T., Pei, W., Hasegawa, T., Yamane, H. and Saito, H. (2009) : Tuning interlayer coupling and domain structure in $[\text{Co}/\text{Pd}]_n \text{Co}/\text{Ru} [\text{Co}/\text{Pd} (x)]_m$ multilayer by controlling the thickness x of the weak-ferromagnetic Pd layers in the lower Co/Pd multilayer, *J. Appl. Phys.*, Vol.105, p.07C307.

Wang, T., Wang, Y., Fu, Y., Hasegawa, T., Li, F. S., Saito, H. and Ishio, S. (2009) : A magnetic force microscopy study of the magnetic reversal of a single Fe nanowire, *Nanotechnology*, Vol.20, p.105707.

Hasegawa, T., Miyahara, J., Narisawa, T., Ishio, S., Yamane, H., Kondo, Y., Ariake, J., Mitani, S., Sakuraba, Y. and Takanashi, K. (2009) : Study of ferro-antiferromagnetic transition in $[001]$ -oriented $L1_0 \text{FePt}_{1-x}\text{Rh}_x$ film, *J. Appl. Phys.*, Vol.106, p.103928.

Fukumoto, M., Suzuki, T., Hara, M. and Narita, T. (2009) : Effect of the electrodeposition temperature on the cyclic-oxidation resistance of Ni aluminide containing Zr formed by molten-salt electrodeposition, *Mater. Trans.*, Vol.50, p.335-40.

「国際会議報告集等」

- Ishio, S., Hasegawa, T., Wang, T. and Pei, W. (2009) : In-coherent magnetization reversal in CoPt nano-dots studied by magnetic force microscopy, *Digests of 20th International Colloquium on Magnetic Films and Surfaces* (ICMFS 2009, Berlin, Germany), p.567-8.
- Hasegawa, T., Miyahara, J., Narisawa, T., Kondo, Y., Yamane, H., Ariake, J. and Ishio, S. (2009) : Fabrication of nano dot array by using ferro-antiferromagnetic transition in $L1_0$ FePtRh film, *Digests of 20th International Colloquium on Magnetic Films and Surfaces* (ICMFS 2009, Berlin, Germany), p.525-6.
- Yokota, T., Fukumoto, M. and Hara, M. (2009) : Formation of Ni-aluminide coating containing Zr by synchronous electrodeposition of Al and Zr and cyclic-oxidation resistance, *The Sixth International Conference on Materials Engineering for Resources* (Akita, Japan), p.452-5.

エネルギー材料学講座

「学会論文集（誌）・学協会誌」

- Taimatsu, H., Sugiyama, S. and Komatsu, M., (2009) : Effect of Cr_3C_2 and VC on the microstructure and mechanical properties of WC-SiC whisker ceramics, *Materials Transactions*, Vol.50, p.2435-40.
- 杉山重彰, 泰松 斉 (2009) : パルス通電場プロセッシング I – 実用材料・デバイスへの応用, 硬質材料 II (セラミックス基材料) (解説), マテリアルインテグレーション, 22 巻, 11-8 頁.
- Lu, X. Y., Nagata, A., Sugawara, K., Watanabe, K., Nojima, T. and Chen, H. (2009) : Effect of the magnetic fields on microstructure and critical current properties of the Bi-2223 tapes, *Physica C*, Vol.469, p.1505-8.

「研究機関報告等」

- Lu, X. Y., Sugawara, K., Watanabe, K. and Nojima, T. (2009) : Effect of the magnetic fields on microstructure and critical current properties of the Bi-2223 tapes, *Annual Report on High Field Laboratory for Superconducting Materials, Institute for Materials Research, Tohoku University*, p.38-41.

「国際会議報告集等」

- Taguchi, M. (2009) : High current-high capacity lead acid battery by using PbO_2 nanoparticles and high conductive polymer, *JST Guide Book of International Nanotechnology Exhibition & Conference, nano tech 2009* (Tokyo, Japan), p.37-38.
- Taguchi, M. and Nakayama, J. (2009) : Effect of partial reduction on methanol oxidation activities of Pt oxide catalyst, *Proceedings of the sixth international Conference on Materials Engineering for Resources* (Akita, Japan), p.386-391.
- Lu, X. Y., Yi, D., Chen, H., Nagata, A. and Sugawara, K. (2009) : Microstructure and superconducting properties of Bi-2223/Ag tapes fabricated in the pressing-melting-sintering process, *22nd International Symposium on Superconductivity* (Tsukuba, Japan), p.221.

Chen, H., Men, H., Kang, K. and Lu, X. Y., (2009) : Influence of microstructure on oxidation behavior of TiAl based alloys prepared by spark plasma sintering, *Proceeding of 4th Asian Conference on Heat Treatment and Surface Engineering* (Beijing, China), p.257-61.

材料開発工学講座

「学会論文集 (誌) ・学協会誌」

Ohsasa, K. and Miura, S. (2009) : Modeling of microstructure evolution in Nb-Si eutectic alloy using cellular automaton method, *Materials Research Society*, Vol.1128, p.1128-U07-02.

Sasaki, M., Matura, K., Ohsasa, K. and Ohno, M. (2009) : Refinement of As-cast austenite grain in carbon steel by addition of titanium, *ISIJ International*, Vol.49, p.1362-6.

Sasaki, M., Matura, K., Ohsasa, K. and Ohno, M. (2009) : Effect of addition of titanium and boron on columnar austenite grain in carbon steel, *ISIJ International*, Vol.49, p.1367-71.

Ohsasa, K. and Shirogawa, H. (2009) : Heat transfer analysis for solidifying ferrous multi-component alloys using computational thermodynamics, *ISIJ International*, Vol.49, p.1715-21.

Ohguchi, K., Sasaki, K. and Aso, S. (2009) : Evaluation of time-independent and time-dependent strains of lead-free solder by stepped ramp loading test, *Transactions of ASME, Journal of Electronic Packaging*, Vol.131, p.021003-1 - 021003-7.

大口健一, 木村光彦 (2009) : 引張り・ひずみ保持試験による BA98 ろう材の弾・塑性・クリープ特性評価, 溶接学会論文集, 27 巻, 1 号, 96-103 頁.

情報工学科

人間情報工学講座

「学会論文集（誌）・学協会誌」

- 柴田 傑, 湯川 崇, 海賀孝明, 横山洋之, 玉本英夫 (2009): 身体動作解説コンテンツ作成システム, 日本バーチャルリアリティ学会論文誌, 14 巻, 3 号, 265-74 頁.
- 伊藤桃代, 西田 眞, 苗村育郎 (2009): Balloon models を用いた認知症診断支援のための脳領域抽出法, 電気学会論文誌 C, 129 巻, 7 号, 1435-43 頁.
- 景山陽一, 佐藤郁磨, 西田 眞 (2009): ミクセルを考慮した NOAA-AVHRR データのクラス分類アルゴリズム, 映像情報メディア学会誌, 63 巻, 3 号, 339-48 頁.
- 景山陽一, 柴田智恵子, 西田 眞, 小玉英幸 (2009): ランドサット ETM+データを用いた鳥海山沿岸海域における地下水湧出地点の検出, システム制御情報学会論文誌, 22 巻, 5 号, 169-76 頁.
- 景山陽一, 戸塚康皓, 佐藤瑞穂, 西田 眞, 白澤洋一, 大瀧健太 (2009): 人物画像における重要度判定アルゴリズム, 映像情報メディア学会誌, 63 巻, 9 号, 1314-7 頁.
- 佐藤慶幸, 景山陽一, 西田 眞 (2009): 口唇の動き特徴を用いた非接触コマンド入力インタフェースの提案, 電気学会論文誌 C, 129 巻, 10 号, 1865-73 頁.

「国際会議報告集等」

- Shibata, T., Yukawa, T., Kaiga, T., Yokoyama, H. and Tamamoto, H. (2009) : A CG contents production system for explaining human motions in a digital museum, *Proceedings of the 6th International Conference on Materials Engineering for Resources* (Akita, Japan), AP-27, p.334-9 (CD-ROM).
- Ito, M., Nishida, M. and Namura, I. (2009) : Extraction method of brain regions with balloon models for imaging diagnosis support of Alzheimer-type dementia, *Proceedings of the 6th International Conference on Materials Engineering for Resources* (Akita, Japan), AP-25, p.324-7 (CD-ROM).
- Sato, Y., Kageyama, Y. and Nishida, M. (2009) : Proposal of command input interface using lip motion features, *Proceedings of the 6th International Conference on Materials Engineering for Resources* (Akita, Japan), AP-24, p.318-23 (CD-ROM).
- Ishizawa, C. and Nishida, M. (2009) : Method for displaying false colors on the liquid crystal display by switching two colors, *Proceedings of the 6th International Conference on Materials Engineering for Resources* (Akita, Japan), AP-20, p.298-301 (CD-ROM).

「学術関係誌」

- 石井雅樹, 西田 眞 (2009): 顔表情を対象とした感情特徴空間の生成～「快-不快」及び「覚醒度」を指標とした感情の定量化手法～, 画像ラボ, 20 巻, 8 号, 11-6 頁.

産業情報工学講座

「学会論文集 (誌) ・学協会誌」

Nyang, D. and Yamamura, A. (2009) : More efficient threshold signature scheme in gap Diffie-Hellman group, *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, Vol E92-A, p.1720-3.

内海富博, 今野 信, 菅野祐輔, 行松健一, 小林真人, 橋本 仁 (2009) : ディフレクショナルルーチングを用いたバッファレスルーチングネットワークの実現可能性に関する検討, 電子情報通信学会論文誌, 92 巻, 11 号, 1741-9 頁.

「国際会議報告集等」

Yamamura, A. (2009) : Quasicrystals and tiling semigroups, *Proceedings of the 6th International Conference on Materials Engineering for Resources* (Akita Japan), B3-4, p.183-8 (CD-ROM).

Takahashi, A., Igarashi, R., Ueda, H., Iwaya, Y. and Kinoshita, T. (2009) : Network anomaly detection based on R/S pox diagram, *Proceedings of the 6th International Conference on Materials Engineering for Resources* (Akita, Japan), AP26, p.328-33 (CD-ROM).

機械工学科

機械物理工学講座

「学会論文集（誌）・学協会誌」

荒川 亮, 渋谷 嗣 (2009): ひずみ応答を用いたモード形状計測に基づくはり構造の損傷位置推定, 日本機械学会論文集 A 編, 75 巻, 753 号, 684-9 頁.

Muraoka, M. and Tobe, R. (2009) : Mechanical characterization of nanowires based on optical diffraction images of the bent shape, *Journal of Nanoscience and Nanotechnology*, Vol.9, No.8, p.4566-74.

Saka, M., Tohyoh, H., Muraoka, M., Ju, Y. and Sasagawa, K. (2009) : Formation of metallic micro/nanomaterials by utilizing migration phenomena and techniques for their applications, *Material Science Forum*, Vol.614, p.3-9.

「国際会議報告集等」

Shibuya, Y. (2009): Evaluation of internal friction of viscoelastic composites with meso-scale structures for vibration damping of mechanical structures, *Mechanics and Model-Based Control of Smart Materials and Structures*, Irschik, H. Ed., Springer Wien New York, p.163-72.

Shibuya, Y. and Sekine, H. (2009): Viscoelastic analysis of stress concentration around a hole in laminated composite plates by multi-scale approach, *Proceedings of the 6th International Conference on Materials Engineering for Resources* (Akita, Japan), BP-4, p.392-7 (CD-ROM).

Muraoka, M. and Adachi, T. (2009) : Formation of helical nanostructures by film deposition on straight nanowires, *Proc. 2nd Asian Symposium on Materials and Processing, JSME*, Paper No.NM11, p.1-7 (CD-ROM).

Muraoka, M. (2009) : Inverse analysis on bent shape of nanowire in fracture test to estimate the fracture strain, *Proc. 12th Int. Conf. on Fracture*, Paper No.T22.006, p.1-6 (CD-ROM).

機械ダイナミクス工学講座

「学会論文集（誌）・学協会誌」

Nakamura, M., Yoshihara, M., Watanabe, K., Tamura, O. and Sugiyama, W. (2009) : Influence of wall oscillation modes on heat transfer enhancement, *Heat Transfer - Asian Research* -, Vol.38, No.5, p.263-74.

田子 真, 石沢徳秀, 菅原征洋 (2009): 凍結問題の簡易的数値計算方法, 日本冷凍空調学会論文集, 26 巻, 4 号, 439-50 頁.

長谷川裕晃, 渡辺 純, 松内一雄 (2009): 泳者の手を模擬した三次元振動翼まわりの渦の挙動と非定常流体力, *ながれ*, 28 巻, 1 号, 45-54 頁.

Hasegawa, H., Kataoka, H. and Asano, K. (2009) : Effect of electrical potential of microbubbles on ozone dissolution,

Journal of Physics, Vol.147, No.012024, p.1-9.

Hasegawa, H. and Sugawara, T. (2009) : Flow field change before onset of flow separation, *Journal of Fluid Machinery and Systems*, Vol.2, No.3, p.215-22.

Adachi, T., Tashiro, Y., Arima, H. and Ikegami, Y. (2009) : Pressure drop characteristics of flow in a symmetric channel with periodically expanded grooves, *Chemical Engineering Science*, Vol.64, p.593-7.

Adachi, T., Yoshida, S. and Hamada, T. (2009) : Sweep-out flow of film condensation on vertical plates with horizontal grooves, *Heat Transfer-Asian Research*, Vol.38, p.135-40.

「国際会議報告集等」

Hasegawa, H. and Takahashi, K. (2009) : Behavior of synthetic jet in a crossflow, *Proc. of the 7th Pacific Symposium on Flow Visualization and Image Processing* (Kaohsiung, Taiwan) (CD-ROM).

「研究機関報告集等」

大好 直 (2009) : 創造能力の育成について, 秋田大学工学資源学部研究報告, 30号, 41-4頁.

システム設計講座

「学会論文集 (誌) ・学協会誌」

Tanaka, M., Ono, J., Sakashita, M. and Kato, R. (2009) : Fractal dimension of grain-boundary fracture for characterization of high-temperature fracture in heat-resistant alloys, *ISIJ International*, Vol.49, No.8, p.1229-38.

長縄明大, 平元和彦, 古谷将人, 渋谷 嗣, 森 英季 (2009) : ナノモーシオンアクチュエータに対する PID 制御器の設計, 日本機械学会論文集 C 編, 75 巻, 754 号, 1770-6 頁.

石川寛子, 岡 潔, 長縄明大, 芳野純治, 若林貴夫, 渡邊真也, 内藤岳人 (2009) : イレウスチューブを用いた小腸内圧計測システムの開発, 日本機械学会論文集 C 編, 75 巻, 756 号, 2359-61 頁.

Seki, T., Oka, K., Naganawa, A., Yamashita, H., Kim, K. and Chiba, T. (2009) : Blood flow measurement system for fetoscopic laser photocoagulation of chorionic plate anastomosing vessels (FLPC), *Minimally Invasive Therapy and Applied Technologies*, Vol.18, Issue 6, p.350-5.

Mori, S., Sato, Y., Sakurada, A., Naganawa, A., Shibuya, Y. and Obinata, G. (2009) : Nano-motion stage for high speed and precision positioning on an X-Y plane, *IEEE Transactions on Magnetics*, Vol.45, No.11, p.4972-8.

Takahashi, M., Harada, Y., Kamiya, O. and Ohyoshi, T. (2009) : A new method to prevent delamination of diamond films synthesized by the three-step method using combustion flame, *Journal of Solid Mechanics and Materials Engineering*, Vol.3, No.6, p.853-64.

小松喜美, 菅原征洋, 佐藤寛才, 藤田 忠 (2009) : 焼結アルミニウム繊維ヒートシンクの伝熱性能実験, 日本冷凍空調学会論文集, 26 巻, 3 号, 217-24 頁.

「国際会議報告集等」

Tanaka, M., Kato, R., Nakagawa, Z. and Sasaki, K. (2009) : Microstructure control by heat treatments and creep-rupture properties in a wrought nickel-base heat-resistant alloy, *Proceedings of 17th International Federation for Heat Treatment and Surface Engineering Congress 2008, Journal of the Japan Society for Heat Treatment*, Vol.49, Special Issue 2009, p.537-40.

Mori, S., Sato, Y., Sakurada, A., Naganawa, A., Shibuya, Y. and Obinata, G. (2009) : Nano-motion stage for high speed and precision positioning on an X-Y plane, *Asia-Pacific Magnetic Recording Conference 2009 (APMRC2009)*, Digest of APMRC 2009 DA-1.

Mori, S., Sato, Y., Sakurada, A., Naganawa, A., Shibuya, Y. and Obinata, G. (2009) : 2D nano-motion actuator for precise track follow, *The 2009 ASME/JSME Joint Conference on Micromechatronics for Information and Precision Equipment (MIPE 2009)*, p.293-94.

Seki, T., Oka, K., Naganawa, A. and Chiba, T. (2009) : Development of minimally invasive laser device using composite-type optical fiberscope of 1.1mm in diameter, *World Congress on Medical Physics and Biomedical Engineering*, Vol.25, p.79-82.

Miura, K. (2009) : Reflection response from a finite plane crack lying in elastic half-space subjected to SH periodic impact load, *Proc. of Int. Conf. on Mater. Eng. for Resources ICMR 2009 AKITA* (Akita, Japan) (CD-ROM).

Takahashi, M., Kamiya, O. and Ohyoshi, T. (2009) : Synthesis of diamond films on tungsten carbide surface by step synthesis method using combustion flame, *Proceedings of the Sixth International Conference on Materials Engineering for Resources* (Akita, Japan), p.502-7.

「著書」

Tanaka, M. and Kato, R. (2009) : Chapter 5: A novel fractography for investigation of the fatigue fracture process in materials, *Fatigue crack growth: mechanics, behavior and prediction*, edited by Alphonse F. Lignelli, *Nova Science Publishers, New York*, p.167-189, ISBN: 978-1-60692-476-1.

ロボティクス・福祉工学講座

「学会論文集 (誌) ・学協会誌」

廣瀬 圭, 土岐 仁, 小田紳介 (2009) : 慣性センサを用いたスノーボード滑走におけるエッジング量計測法, *スキー研究*, 6 巻, 1 号, 27-32 頁.

砂子田勝昭, 松岡太一, 平元和彦, 福喜多輝 (2009) : 受動・準能動の双方に適応可能な電磁抵抗型制振装

置, 日本機械学論文集 C 編, 75 巻, 758 号, p.2659-64 頁.

松岡太一, 砂子田勝昭 (2009): 流体の慣性質量を利用した振動低減装置, 日本機械学会論文集 C 編, 75 巻, 759 号, p.2893-8 頁.

巖見武裕, 佐々木誠, 宮脇和人, 中村真知子, 松永俊樹, 島田洋一 (2009): FES を用いた SWING THROUGH 歩行による対麻痺歩行の再建 (SWING THROUGH 歩行の生体負荷解析), 日本機械学会論文集 C 編, 75 巻, 751 号, 680-6 頁.

巖見武裕, 佐々木誠, 宮脇和人, 中村真知子, 松永俊樹, 島田洋一 (2009): FES を用いた SWING THROUGH 歩行による対麻痺歩行の再建(歩行シミュレーションと臨床応用), 日本機械学会論文集 C 編, 75 巻, 751 号, 673-9 頁.

巖見武裕, 佐々木誠, 宮脇和人, 大日方五郎, 三澤晶子, 松永俊樹, 島田洋一 (2009): 高齢者における動的座位バランスの評価, 日本機械学会論文集 C 編, 75 巻, 760 号, 3237-43 頁.

巖見武裕, 宮脇和人, 山藤和也, 大日方五郎, 島田洋一, 松永俊樹, 佐藤峰善 (2009): 高齢者用ローイングマシンの開発, ライフサポート, 21 巻, 2 号, 63-9 頁.

巖見武裕, 宮脇和人, 三浦弘樹, 鎌田 公, 石川慶紀, 島田洋一, 大日方五郎 (2009): 動的荷重の解析が可能な 3 次元脊椎モデルの作製, バイオメカニズム学会誌, 33 巻, 3 号, 200-3 頁.

巖見武裕, 三浦弘樹, 砂子田勝昭 (2009): MRI 画像に基づく前腕筋骨格形状のモデル化一回内回外動作における筋モーメントアームの導出, 臨床バイオメカニクス学会誌, 30 巻, 97-104 頁.

宮脇和人, 佐々木誠, 巖見武裕, 大日方五郎, 島田洋一 (2009): 坂道において介助者が車いすを押す動作の評価, 日本機械学会論文集 C 編, 75 巻, 752 号, 1033-40 頁.

宮脇和人, 佐藤敏美, 巖見武裕, 大日方五郎, 島田洋一, 千田聡明 (2009): 腕動作支援装置「アームバランス」の有効性評価, ライフサポート, 21 巻, 1 号, 3-10 頁.

宮脇和人, 巖見武裕, 柚木泰彦, 島田洋一 (2009): コンピュータマネキンを用いた電動歩行支援装置の開発, 日本福祉工学会誌, 11 巻, 1 号, 26-33 頁.

Miyawaki, K., Iwami, T., Shimada, Y., Matsunaga, T. and Sato, M. (2009): Development of a rowing machine using functional electrical stimulation, 日本設計工学会誌, 44 巻, 12 号, 694-7 頁.

宮脇和人, 巖見武裕, 小笠原雄二, 島田洋一 (2009): 施設で利用する電動歩行支援装置の開発, 日本福祉工学会誌, 11 巻, 2 号, 24-9 頁.

「国際会議報告集等」

Sunakoda, K., Ishiyama, R. (2009): Damper design and experimental results by using magnetic responsive fluid, 6th

International Conference on Flow Dynamics, No.1194.

Sunakoda, K., Kawasaki, H. and Hakata, T. (2009) : Development of hybrid magnetic responsive fluid for vibration damper, *6th International Conference on Materials Engineering for Resources*, BP32.

Sunakoda, K., Morishita, S., Takahashi, S. and Hakata, T. (2009) : Development and testing of hybrid magnetic responsive fluid for vibration damper, *ASME, PVP-2009 Seismic Engineering*, No. 77651.

Sakurada, A., Sunakoda, K., Naganawa, A. and Shibuya, Y. (2009) : Applying fractional calculus method to evaluation of damping in testing apparatus of hard drive systems, *ASME, PVP-2009 Seismic Engineering*, No. 77833.

Sunakoda, K., Matsuoka, T., Shimizu, H. and Ishiyama, R. (2009) : Passive damping properties by using magnetic responsive fluids, *Proc. 13th Asia Pacific Vibration Conference*, No. 29.

Hiramoto, K., Matsuoka, T., Sunakoda, K., Fukukita, A. and Yamazaki, I. (2009) : Semi-active control of civil structures with a one-step-ahead prediction of the seismic response, *ASME, PVP-2009 Seismic Engineering*, No. 77637.

Matsuoka, T., Sunakoda, K., Hiramoto, K., Yamazaki, I., Fukukita, A., Roschke, P. N., Loh, C. H. and Lin, P. Y. (2009) : Seismic performance of vibration control device that generate power, *ASME, PVP-2009 Seismic Engineering*, No. 77695.

Matsuoka, T., Sunakoda, K. and Adachi, K. (2009) : Optimized design of damping for pole structure, *Proc. 13th Asia Pacific Vibration Conference*, No. 5.

Iwami, T., Aizawa, T., Miyawaki, K., Matsunaga, T., Shimada, Y. and Obinata, G. (2009) : Model simulation of FES for the treatment of shoulder subluxation, *2009 IEEE International Symposium on Micro-Nano Mechatronics and Human Science (CD-ROM)*.

Miyawaki, K., Iwami, T., Matsunaga, T., Shimada, Y. and Obinata, G. (2009) : Gait estimation using foot-pressure sensors, *2009 IEEE International Symposium on Micro-Nano Mechatronics and Human Science (CD-ROM)*.

電気電子工学科

電気エネルギー工学講座

「学会論文集(誌)・学協会誌」

- 水戸部一孝, 齊藤正容, 鈴木雅史, 吉村 昇 (2009) : 車道横断シミュレータを用いた高齢歩行者の交通事故誘発リスクの研究, 日本バーチャルリアリティ学会論文誌, 14 巻, 1 号, 21-8 頁.
- Kabir, M., Suzuki, M. and Yoshimura, N. (2009) : Reduction of excess sludge by magneto-ferrite treatment: observation on lab scale WWTPs, *IEEJ Trans.*, Vol.4, No.4, p.584-6.
- Zhang, H., Mitobe, K., Suzuki, M. and Yoshimura, N. (2009) : A new analytical method for the cellulose acetate electrophoresis by the terahertz imaging, *Jpn. J. Appl. Phys.*, Vol.48, No.6, p.062301-1-062301-5.
- 石川義博, 水戸部一孝, 鈴木雅史, 吉村 昇 (2009) : テラヘルツ波を用いたイオンマイグレーションの検出, 静電気学会誌, 33 巻, 4 号, 163-8 頁.
- Ito, A., Saito, H., Mitobe, K., Minamiya, Y., Takahashi, N., Maruyama, K., Motoyama, S., Katayose, Y. and Ogawa, J. (2009) : Inhibition of heat shock protein 90 sensitizes melanoma cells to thermosensitive ferromagnetic particles mediated hyperthermia with low curie temperature, *Cancer Science*, Vol.100, No.3, p.558-64.
- Onoda, M. and Ochiai, T. (2009) : Designing spinning Bloch states in 2D photonic crystals for stirring nanoparticles, *Physical Review Letters*, Vol.103, No.033903, p.1-4.
- Tanuma, Y., Hayashi, N., Tanaka, Y. and Golubov, A. A. (2009) : Model for vortex-core tunneling spectroscopy of chiral p-wave of superconductors via odd-frequency pairing states, *Physical Review Letters*, Vol.102, No.117003, p.1-4.
- Ochiai, T. and Onoda, M. (2009) : Photonic analog of graphene model and its extension: Dirac cone, symmetry, and edge states, *Physical Review B*, Vol.80, No.155103, p.1-9.
- Takahashi, K. S., Onoda, M., Kawasaki, M., Nagaosa, N. and Tokura, Y. (2009) : Control of the anomalous hall effect by doping in $\text{Eu}_{1-x}\text{La}_x\text{TiO}_3$ thin films, *Physical Review Letters*, Vol.103, No.057204, p.1-4.

「学術関係誌」

- 鈴木雅史 (2009) : 手指モーションキャプチャー技術, 東北支部報告, 電気学会誌, 129 巻, 10 号, 693 頁.

「国際会議報告集等」

- Kabir, M., Suzuki, M. and Yoshimura, N. (2009) : Reduction of excess activated sludge by ferrite particles: Process and possibilities, *6th Intl. Conf. on Materials Eng. for Resources, Proceedings of ICMR 2009 AKITA* (Akita, Japan), p.178-82.

Rahman, Md. M., Mitobe, K., Suzuki, M. and Yoshimura, N. (2009) : Developed a technique to find the finger joint angles using six dimensional position sensors, *6th Intl. Conf. on Materials Eng. for Resources, Proceedings of ICMR 2009 AKITA* (Akita, Japan), p.350-5.

Zhang, H., Mitobe, K., Suzuki, M. and Yoshimura, N. (2009) : New imaging method for electrophoresis by sub-terahertz wave, *6th Intl. Conf. on Materials Eng. for Resources, Proceedings of ICMR 2009 AKITA* (Akita, Japan), p.508-10.

Seki, Y., Iwaya Y., Chiba, T., Yairi, S., Otani, M., Oh-uchi, M., Munekata, T., Mitobe, K. and Honda, A. (2009) : Auditory orientation training system for the blind by using wide-range 3-D sound, *CVHI 2009* (Wroclaw, Poland) (CD-ROM).

「著書」

水戸部一孝 (2009): 車載用センサ/カメラ技術と安全運転支援システム (分担執筆), 技術情報協会, 639-55 頁.

光・電子デバイス工学講座

「学会論文集 (誌) ・学協会誌」

Yamaguchi, R. and Ogura, M. (2009) : Photostability evaluation of liquid crystal cell under a focused blue-violet laser beam, *Journal of Photopolymer Science and Technology*, Vol.22, p.533-6.

Yamaguchi, R., Ogura, M. and Sato, S. (2009) : Photo-degradation properties of liquid crystal cell using eocused blue-violet laser beam, *Molecular Crystals and Liquid crystals*, Vol.507, p.51-5.

山口留美子 (2009): 液晶の潜像を用いた光セキュリティデバイス, 映像情報メディア学会誌, 63 巻, 10 号, 32-3 頁.

Kawamura, M., Ye, M. and Sato, S. (2009) : Transient properties of a liquid crystal optical device with an anamorphic lens property, *Molecular Crystals and Liquid crystals*, Vol.510, p.182[1316]-190[24].

Kawamura, M., Umeda, H. and Sato, S. (2009) : Optical trap for manipulating plural particles by using a liquid crystal device, *Molecular Crystals and Liquid crystals*, Vol.510, p.191[1325]-6[30].

Kawamura, M., Sano, T. and Sato, S. (2009) : Cell parameter measurement system of a liquid crystal cell by using a telecentric lens, *Journal of the Society for Information Display*, Vol.17, p.833-9.

Kawamura, M., Onishi, J. and Sato, S. (2009) : Laser manipulation by using liquid crystal devices with variable-focusing and beam-steering functions, *International Journal of Optomechatronics*, Vol.3, p.264-76.

河村希典 (2009) : 焦点可変およびビーム偏向機能を有する液晶レンズの電気光学特性と応用技術開発, 光

技術コンタクト誌, 47 巻, 9 号, 496-502 頁.

Honma, M., Nose, T., Yanase, S., Yamaguchi, R. and Sato, S. (2009) : Liquid-crystal variable-focus lenses with a spatially-distributed tilt angles, *Optics Express*, Vol.17, p.10998-1006.

Ohzono, T., Monobe, H., Yamaguchi, R. Shimizu, Y. and Yokoyama, H. (2009) : Dynamics of surface memory effect in liquid crystal alignment on reconfigurable microwrinkles, *Applied Physics Letter*, Vol.95, p.014101-1-3.

「国際会議報告集等」

Kawachi, M., Ono, Y., Fujiwara, A. and Horiguchi, S. (2009) : Effect of δ -function-like boron charge sheet on p-channel ultra-thin SOI MOSFETs, *IEEE 2009 Silicon Nanoelectronics Workshop* (Kyoto, Japan), p.89-90.

Ono, Y., Khalafalla, M., Horiguchi, S., Nishiguchi, K. and Fujiwara, A. (2009) : Identification of single boron acceptors in nanowire MOSFETs (Invited), *Int. Conf. Solid State Devices and Materials* (Sendai, Japan), E-9-1.

Kodate, T., Arai, M. and Sato, Y. (2009) : Comparisons of properties of CdTe thin films deposited on glass and sapphire substrates by a vacuum evaporation method, *18th International Photovoltaic Science and Engineering Conference* (Kolkata, India), p.131.

Otake, F., Hatori, H., Muyari, K., Kosakai, K. and Sato, Y. (2009) : Preparations of indium oxide thin films by an oxidation and recrystallization method of metal indium thin films, *18th International Photovoltaic Science and Engineering Conference* (Kolkata, India), p.132.

Sato, Y. (2009) : Thin film depositions of several compound semiconductors on amorphous and single crystal substrates and comparisons of their properties (Invited), *International Conference on Processing and Manufacturing of Advanced Materials* (THERMEC'2009, Berlin, Germany), p.350.

Hatori, H., Igarashi, S., Arai, M. and Sato, Y. (2009) : Vacuum evaporation of CdTe thin films on Ni-deposited sapphire single crystal substrates and effects of the Cd/Te ratio on their properties, *19th International Photovoltaic Science and Engineering Conference* (Jeju, Korea), p.114.

Yamaguchi, R. (2009) : Security applications of liquid crystal film with plural latent images (Invited), *SPIE Photonics West 2009-OPTO* (San Jose, USA), Vol.7232, p.72320Q-1-8.

Yamaguchi, R. and Ogura, M. (2009) : Photo-degradation and detection in liquid crystal cells using focused laser beam (Invited), *The 17th Active-Matrix Flatpanel Displays and Device* (Nara, Japan), 4-1, p.53-4.

Yamaguchi, R. and Ogura, M. (2009) : Photostability evaluation of liquid crystal cell under a focused blue-violet laser beam, *The 26th Conference on Photopolymer Science and Technology* (Chiba, Japan), B4-09,

p.533-6.

- Yamaguchi, R. and Ogura, M. (2009) : Real time detection of photo degradation in liquid crystal cells (Invited), *The 13th JPN-KOREA Int. Symp. on Advanced Display Materials and Devices 2009, ADMD 2009* (Hiroshima, Japan), SII-8, P.51.
- Yamaguchi, R. and Xiong, L. (2009) : Enhanced optical properties in reverse mode polymer dispersed liquid crystals with super twisted nematic orientation, *The 13th Topical Meeting on the Optics of Liquid Crystals* (Erice, Italy), O30.
- Yamaguchi, R. and Xiong, L. (2009) : Reverse mode polymer dispersed liquid crystals with twisted orientation, *16th International Display Workshops* (Miyazaki, Japan), LCTp4-5L, p.1034.
- Kawamura, M., Goto, H. and Sato, S. (2009) : Transient properties of a liquid crystal lens with multiple divided circularly hole patterned electrodes, *International Symposium on Optomechatronics Technologies ISOT 2009* (Istanbul), 978-1-4244-4210-2/09/, p.1-4.
- Kawamura, M. (2009) : Applications of a liquid crystal lens with functions of a variable focal length and beam steering (Invited), *2009 Annual Meeting of ROC Taiwan Liquid Crystal Society* (Hsinchu, Taiwan), OP01, p.13.
- 知能情報通信工学講座
「学会論文集（誌）・学協会誌」
- Imano, K. and Kondou, M. (2009) : Detecting pipe wall reduction using air-coupled MHz range ultrasonic wave, *IEICE Electronics Express*, Vol.6, p.613-7.
- 田中元志, 井上 浩, 新山喜嗣 (2009) : 事象関連電位による画像品質評価のための課題に関する実験的検討 (研究速報), *映像情報メディア学会誌*, 63 巻, 2 号, 222-4 頁.
- 田中元志, 中島恵子, 井上 浩, 新山喜嗣 (2009) : 事象関連電位による画像品質評価のための課題に関する実験的検討 (その2) (研究速報), *映像情報メディア学会誌*, 63 巻, 12 号, 1815-7 頁.
- 田中元志, 中島恵子, 井上 浩, 新山喜嗣, 高橋 徹, 熊谷昌則, 秋山美展 (2009) : ERP を指標とした食品評価に関する実験的検討 —寿司画像を用いた好み評価— (研究速報), *生体医工学*, 47 巻, 6 号, 623-7 頁.
- Kayano, Y. and Inoue, H. (2009) : Prediction of EM radiation from a PCB driven by a connected feed cable, *IEICE Transactions on Communications*, Vol.E92-B, No.6, p.1920-8.
- Fukuda, M. and Imano, K. (2009) : Detection of a second harmonic ultrasonic component generated from a fastened bolt using a double-layered piezoelectric transducer, *IEICE Electronics Express*, Vol.6, p.1438-43.

Miyanaga, K., Kayano, Y., Takagi, T. and Inoue, H. (2009) : Effect of heating value on contact diameter at low speed breaking contact (L.), *IEICE Transactions on Electronics*, Vol.E92-C, No.8, p.1020-2.

「学術関係誌」

今野和彦 (2009) : 板波(Lamb波)を用いた塗膜形成過程の一評価法, *塗装工学*, 44巻, 8号, 292-300頁.

今野和彦 (2009) : 超音波を用いたパイプ中でのガイド波の発生 =MHz帯空中超音波の非破壊試験への応用=, *超音波 TECHNO*, 21巻, 6号, 95-9頁.

高橋圭太, 井上 浩 (2009) : 心拍変動による VDT 作業者のストレス・疲労の定量的検討, *工学資源学部研究報告*, 30号, 1-7頁.

「国際会議報告集等」

Obara, H. (2009) : Extended class of reduced crossbar switches, *International Conference on Advanced Technologies for Communications* (Hanoi, Vietnam).

Kayano, Y. and Inoue, H. (2009) : Prediction of EM Radiation from a Printed Circuit Board Driven by Differential-Signaling, *Proceedings of International Conference on Electronic Packaging* (ICEP2009, Kyoto, Japan), 16B-1-5-4, p.144-9.

Kayano, Y. and Inoue, H. (2009) : Transmission and Coupling Characteristics of Transmission Lines in IC Chip, *Proceedings of International Symposium on EMC* (EMC'09/ Kyoto, Kyoto, Japan), 23Q2-4, p.591-4 (CD-ROM).

Kayano, Y. and Inoue, H. (2009) : EM radiation from interconnected surface-microstrip line structures by a coaxial cable, *Proceedings of 2010 IEEE EMC Symposium* (Austin, USA), WE-AM-2-4, p.51-6 (CD-ROM).

Kayano, Y. and Inoue, H. (2009) : Characteristics of EM radiation from a PCB driven by feed-cable, *Proceedings of 2009 Korea-Japan Joint Conference on AP/EMC/EMT* (Incheon, Korea), p.219-22.

Fukuda, M. and Imano, K. (2009) : Second harmonic detection generated from fastened bolt, *30th International Symposium on Acoustical Imaging* (AI30, Monterey, USA), No.24, p.24.

Fukuda, M. and Imano, K. (2009) : A novel detection system for second harmonic ultrasonic pulse waves using bonded ring type double-layered piezoelectric transducer, *The 6th International Conference on Materials Engineering for Resources* (ICMR2009, Akita, Japan), AP-28, p.36.

Fukuda, M., Yoshida, K. and Imano, K. (2009) : Detection of second harmonic ultrasonic components generated from fastened bolts, *The 13th Asia-Pacific Conference on Non-Destructive Testing* (APCNDT2009, Yokohama, Japan), PS7-3, p.149.

- Kai, Y., Hamada, K., Miao, Y. and Obara, H. (2009) : Design of partially-asynchronous parallel processing elements for setting up Benes networks in $O(\log N)$ time, *International Conference on Photonics in Switching, Pisa, Italy*.
- Hayashi, Y., Sugawara, T., Kayano, Y., Homma, N., Mizuki, T., Satoh, A., Aoki, T., Minegishi, S., Sone, H. and Inoue, H. (2009) : An analysis of information leakage from a cryptographic hardware via common-mode current, *Proceedings of International Symposium on EMC (EMC'09/ Kyoto, Kyoto Japan)*, 21-P1-5, p.17-20 (CD-ROM).
- Komakine, T., Kurosawa, T. and Inoue, H. (2009) : A novel method of electric field estimation by using spherical dielectric scatterer, *Proceedings of the 2009 International Symposium on EMC (EMC'09/ Kyoto, Kyoto, Japan)*, 21R3-2, p.173-6 (CD-ROM).
- Kiso, T., Iwaki, T., Kasuga, T. and Inoue, H. (2009) : Modification of FDTD-MAS method for EMI estimation with surrounding large objects in analytical space, *Proceedings of the 2009 International Symposium on EMC (EMC'09/ Kyoto, Kyoto, Japan)*, 23P1-1, p.509-11 (CD-ROM).
- Yanagisawa, R., Kayano, Y. and Inoue, H. (2009) : Left-handed transmission line characteristics made by F-SIR structure on PCB, *Proceedings of International Symposium on EMC (EMC'09/ Kyoto, Kyoto, Japan)*, 23P3-3, p.645-8 (CD-ROM).
- Miyana, K., Kayano, Y., Takagi, T. and Inoue, H. (2009) : A study on length and diameter of bridge related with holder heat capacity, *Proceedings of 9th International Session on Electro-Mechanical Devices (Tokyo, Japan)*, EMD2009-70, p.5-8.
- Hanawa, S., Miyana, K., Kayano, Y. and Inoue, H. (2009) : Current fluctuation measurement for breaking contact at transient period from bridge to arc, *Proceedings of 9th International Session on Electro-Mechanical Devices (Tokyo, Japan)*, EMD2009-103, p.145-8.
- Miyana, K., Kayano, Y., Takagi, T. and Inoue, H. (2009) : A study on relationship between contact temperature and bridge shape at low speed breaking contact, *Proceedings of 3rd International Conference on Reliability of Electrical Products and Electrical Contacts 2009 (Wenzhou, China)*, p.58-62.

「著書」

井上 浩, 萱野良樹 (2009) : EMC 電磁環境学ハンドブック (分担執筆), 三松.

制御システム工学講座

「学会論文集 (誌) ・学協会誌」

Miura, T., Matsuo, K. and Taniguchi, T. (2009) : Prevention of missteps in stopping process of a stepping motor on high-speed drive, *IEEJ Transactions on Electrical and Electronic Engineering*, Vol.4, No.4, p.581-3.

「学術関係誌」

Miura, T., Matsuo, K. and Taniguchi, T. (2009) : Analysis of affective factors of colored three-dimensional shapes, *Electronics and Communications in Japan*, Vol.92, No.5, p.41-54.

「国際会議報告集等」

Miura, T., Mitobe, K., Kaiga, T., Yukawa, T., Taniguchi, T. and Tamamoto, H. (2009) : Extraction of characteristic postures in a dance by statistical analysis of a database of motion data, *ACM SIGGRAPH2009* (New Orleans, USA), Posters, 17A.

Miura, T., Mitobe, K., Kaiga, T., Yukawa, T., Taniguchi, T. and Tamamoto, H. (2009) : Qualitative evaluation of quantitative dance motion data, *ACM SIGGRAPH ASIA 2009* (Yokohama, Japan), Posters, Article No.9.

Miura, T., Yukawa, T., Kaiga, T., Taniguchi, T. and Tamamoto, H. (2009) : Analysis of dancing motion using the human-body model with skeletal structure, *International Symposium: Human Body Motion Analysis with Motion Capture* (Kyoto, Japan), p.65-78.

Matsuo, K., Miura, T. and Taniguchi, T. (2009) : An implementation of IP network-based speed control of a small DC motor using a partial model matching method, *2009 CACS International Automatic Control Conference* (Taipei, Taiwan), SaC07, 00230.

「著書」

三浦 武 (2009) : 小形モータの用途別性能向上および評価技術 (2.2 ステッピングモータの回転子振動抑制) (分担執筆), 電気学会小形モータの用途別性能向上および評価技術調査専門委員会編, 14-7 頁.

土木環境工学科

福祉環境工学講座

「学会論文集 (誌) ・学協会誌」

- 田口秀男, 木村一裕, 日野 智, 木内 瞳 (2009) : 地方都市におけるカーシェアリング利用の影響要因と導入可能性に関する研究, 都市計画論文集, 44-3 号, 517-22 頁.
- 田口秀男, 木村一裕, 日野 智 (2009) : 観光ボランティアガイドによる対話型情報提供の評価に関する研究, 環境情報科学論文集, 23 号, 379-84 頁.
- Hagiwara, T., Hamaoka H., Yaegashi, T., Miki, K, Ohshima, I. and Naito, M. (2009) : Estimation of time lag between right-turning vehicles and pedestrians approaching from the right side, *Journal of the Transportation Research Board*, No.2069, p.65-76.
- Hamaoka, H. and Shikanai, T. (2009) : Characteristics based on the slippery road information system by utilizing the taxi probe data, *Technical Papers of the Conference of Intelligent Transport Systems*, Vol.16 No.3297, 8 pages (CD-ROM).
- 浜岡秀勝, 村田健介 (2009) : 自転車の走行位置変更による安全性向上の効果計測, 交通工学研究発表会論文集, 29 号, 9-12 頁.
- 鈴木 理, 浜岡秀勝 (2009) : 信号切替情報の獲得によるジレンマ・ゾーン回避に関する研究, 土木計画学研究・論文集, 26 巻, 5 号, 855-64 頁.
- 萩原 亨, 浜岡秀勝, 中林昭一, 浜口雅春, 田畑要輔, 鈴木勝美 (2009) : 横断歩行者一右折車間の DSRC 通信性能評価に関する研究, 第 8 回 ITS シンポジウム論文集, 4 号, 163-8 頁.

「国際会議報告集等」

- Hamaoka, H. (2009) : Evaluation of the speed reduction features by the road surface condition at the expressway, *Proceedings of the 2nd International Symposium on Freeway Operations* (Hawaii, USA).

「著書」

- 大橋健一, 柳澤吉保, 高岸節夫, 佐々木恵一, 日野 智, 折田仁典, 宮腰和弘, 西澤辰男 (2009) : 交通システム工学 (分担執筆), コロナ社.

環境構造工学講座

「学会論文集 (誌) ・学協会誌」

- 竹村和晃, 川上 洵, 二井谷教治, 松岡 智 (2009) : 超高強度繊維補強モルタルの埋設型枠使用とストラップ材に鋼板または CFRP 板を用いた無鉄筋コンクリート床版に関する研究, セメント・コンクリート論文集, 62 号, 476-84 頁.

- 加賀谷誠, 西原康夫, 城門義嗣 (2009): 超硬練りコンクリートの空気連行特性と凍結融解抵抗性に関する実験的研究, コンクリート工学論文集, 20巻, 3号, 21-31頁.
- 徳重英信, 古村 崇, 川上 洵 (2009): 酸化チタン混和モルタルおよびポーラスコンクリートのメチレンブルー湿式分解性能に関する研究, コンクリート工学年次論文集, 31巻, 1753-58頁(CD-ROM).
- 大黒屋信英, 後藤文彦, 佐々木貴信, 長谷部薫 (2009): 鋼板挿入集成材梁のせん断性能, 構造工学論文集, 55A巻, 925-31頁 (CD-ROM).
- 千田知弘, 佐々木貴信, 後藤文彦, 薄木征三, 飯島泰男 (2009): 鋼板挿入集成材梁のせん断応力に関する実験と FEM 解析, 構造工学論文集, 55A巻, 932-42頁 (CD-ROM).
- 千田知弘, 佐々木貴信, 薄木征三, 後藤文彦, 篠原義則 (2009): 支間中央に継手部を持つ角形鋼管ハイブリッド木桁の FEM による性能予測, 第 8 回木橋技術に関する論文報告集 (全文審査部門), 149-60頁.
- 城門義嗣, 加賀谷誠, 齋藤憲寿 (2009): 湿潤期間の異なるコンクリートのニオイセンサによる養生効果の評価, コンクリート工学年次論文集, 31巻, 1号, 1669-74頁 (CD-ROM).
- 城門義嗣, 加賀谷誠, 齋藤憲寿, 布施陽介 (2009): 普通および高炉スラグ微粉末を使用したコンクリートのニオイセンサを用いた養生効果の評価, セメント・コンクリート論文集, 63号, 212-8頁.

「学術関係誌」

- 加賀谷誠, 城門義嗣, 飯村 弥 (2009): 火山礫を用いたコンクリートの環境調和特性と施工例, コンクリート工学, 47巻, 3号, 32-8頁.

「研究機関報告」

- Bier, T., Stolte, B., Tokushige, H. and Kawakami, M. (2009): Anwendung von mörtel und beton mit zeolith, *Baustoffe Steine und Erden, Umwelt - Neue Aspekte zu Produkten, Genehmigungen, Technik und Bewertung, TU Bergakademie Freiberg*, p.43-52.

「国際会議報告集等」

- Kawakami, M., Omata, F. and Ono, S. (2009): The advanced countermeasures of prevention for concrete pieces falling at concrete structures in Japan, *Proceedings of the 6th Asian Symposium on Polymers in Concrete* (Shanghai, China), p.177-82.
- Matsuoka, S., Hoshida, N., Ohtomo, H. and Kawakami, M. (2009): Structural characteristics of resin concrete ditch cover plate, *Proceedings of the 6th Asian Symposium on Polymers in Concrete* (Shanghai, China), p.466-71.
- Tokushige, H., Kameshima, H., Kawakami, M. and Bier, T. A. (2009): Effect of use of natural zeolite as a mineral admixture and an aggregate on physical properties of cement mortar and porous concrete, *Proceedings*

of the 4th International Conference on Construction Materials: Performance, Innovations and Structural Implications (Nagoya, Japan), p.1231-36.

Tokushige, H., Kawakami, M. and Bier, T. A. (2009) : Physical and mechanical properties of porous concrete using natural zeolite, *Proceedings of the 17th International Baustofftagung - ibauil* (Weimar, Germany), Vol.2, p.483-8.

Shirokado, Y., Kagaya, M. and Saito, N. (2009) : Experimental studies on evaluation of curing effect of blast-furnace slag cement concrete by using odor sensor, *Proceedings of International Conference on Materials Engineering for Resources ICMR 2009 AKITA* (Akita, Japan), p.456-61(CD-ROM).

「著書」

加賀谷誠 (2009) : コンクリート診断士合格必携, 2009年版 (分担執筆), 技術書院.

後藤文彦 (2009) : 良いプレゼン 悪いプレゼン, カットシステム.

地域環境工学講座

「学会論文集 (誌) ・学協会誌」

対馬雅己, 三田地利之, 及川 洋, 荻野俊寛, 花田智秋, 佐藤 均 (2009) : ゴミ溶融スラグと岩ズリの混合による新たな地盤および路盤材料について, 第 8 回環境地盤工学シンポジウム論文集, 297-302 頁.

岡本憲助, 松富英夫 (2009) : 津波氾濫流速の簡易推定法に関する基礎的研究, 土木学会論文集 B2 (海岸工学), B2-65 巻, 1 号, 296-300 頁.

松富英夫 (2009) : 津波氾濫流による流体力への動圧の寄与と漂流物の衝突力の確率分布, 土木学会論文集 B2 (海岸工学), B2-65 巻, 1 号, 836-40 頁.

Matsutomi, H. (2009) : Method for estimating collision force of driftwood accompanying tsunami inundation flow, *Journal of Disaster Research*, Vol.4, No.6, p.435-40.

奥村与志弘, 原田賢治, Edison Gica, 高橋智幸, 越村俊一, 鈴木進吾, 河田恵昭 (2009) : 1994年フィリピン・ミンドロ地震津波災害における復興対策の長期的効果に関する研究, 地震工学論文集, 30 巻, 637-44 頁.

玉田 崇, 田村 保, 高橋智幸, 佐々木元 (2009) : 河川での津波防災検討における津波移動床モデルの適用性に関する研究, 海岸工学論文集, 56 巻, 301-5 頁.

Takahashi, T., Koshimura, S., Harada, K., Suzuki, S., Okumura, Y. and Kawata, Y. (2009) : Tsunami disaster assessment in the southwestern pacific countries due to giant earthquakes near Japan, *Safety and Security Engineering III, WIT Press*, p.495-516, doi:10.2495/SAFE090611.

荻野俊寛, 高橋貴之, 及川 洋, 三田地利之, 対馬雅己 (2009) : ベンダーエレメント試験および繰返し載荷試験による高有機質土のせん断弾性係数, 地盤工学ジャーナル, 4巻, 1号, 125-33頁.

「研究機関報告」

松富英夫 (2009) : 2007年9月17日洪水の阿仁前田での氾濫について, 秋田大学工学資源学部附属地域防災力研究センター報告, 3号, 13-20頁.

「国際会議報告集等」

Tsushima, M., Mitachi, T., Oikawa, H. and Ogino T. (2009) : Ground improvement material obtained by mixing waste melting slag with slaked lime, *Proceedings of the Twin Coimbra International Conferences on Civil Engineering and the Concrete Future*, p.CE-129-32.

Matsutomi, H., Fujii, M. and Yamaguchi, T. (2009) : Experiments and development of a model on the inundated flow with floating bodies, *Proceedings of the 31st Intl. Conf. on Coastal Engineering, ASCE (Hamburg, Germany)*, Vol.2, p.1458-70.

Takahashi, T. and Kumagai, Y. (2009) : Hydraulic experiment on shoaling process of navigation channel in port due to tsunamis, *AOGS 6th Annual General Meeting (Singapore) (CD-ROM)*.

Nishihata, T., Goto, K., Tajima, Y., Takahashi, T. and Imamura, F. (2009) : A study for the sediment transport due to tsunami along the natural coast, *Coastal Dynamics (Tokyo, Japan) (CD-ROM)*.

Takahashi, T. (2009) : Tsunami hazard assessment by using numerical simulation, *The Second International Conference on Asian Catastrophe Insurance (Beijing, China) (CD-ROM)*.

「著書」

高橋智幸 (2009) : 津波から生き残る その時までには知ってほしいこと (分担執筆), 土木学会.

Takahashi, T. (2009) : TSUNAMI to survive from tsunami, *World Scientific, Advanced Series on Ocean Engineering*, (分担執筆), Singapore.

附属環境資源学研究センター

「学会論文集（誌）・学協会誌」

- Kato, S., Fujimaki, R., Ogasawara, M., Wakabayashi, T., Nakahara, Y. and Nakata, S. (2009) : Oxygen storage capacity of CuMO_2 (M= Al, Fe, Mn, Ga) with a delafossite-type structure, *Applied Catalysis B*, Vol.89, p.183-8.
- 山城 崇, 佐藤寛次, 野村正幸, 中田真一 (2009) : Mg^{2+} イオン交換クリノプチロライトによる 1,4-ジヒドロピリジン類の H_2O_2 酸化及び無溶媒固相エステル酸分解による 3,5-ピリジンジカルボン酸の合成, *YAKUGAKU ZASSHI*, 129 巻, 10 号, 1249-54 頁.
- 野村正幸, 佐藤寛次, 中田真一, 安倍信夫 (2009) : フキ属植物のセスキテルペン類, *素材物性学会誌*, 36 巻, 1/2 号, 1-7 頁.
- 松葉谷治, 岩田 峻, 高須一廣, 鈴木 勝, 川原谷浩, 石山大三 (2009) : 水素, 酸素同位体比からみた上の岱地熱発電所地熱水の特徴と地下での挙動, *日本地熱学会誌*, 31 巻, 95-106 頁.
- 石原舜三, 石山大三, 佐藤比奈子, 村上浩康 (2009) : 華南, 日本, ボリビアにおける若干の堆積岩, 火成岩類の微量インジウム含有量について, *資源地質*, 59 巻, 219-22 頁.
- Saito, H., Ikeya, H., Egawa, G., Ishio, S. and Yoshimura, S. (2009) : Magnetic force microscopy of alternating magnetic field gradient by frequency modulation of tip oscillation, *Journal of Applied Physics*, Vol.105, p.07D524-1-3.
- Jha, V. K. and Hayashi, S. (2009) : Modification on natural clinoptilolite zeolite for its NH_4^+ retention capacity, *J. Hazard. Mater.*, Vol.169, p.29-35.
- Hayashi, S., Onoe, J., Ebina, K. and Kodama, N. (2009) : Electrophoretic deposition/infiltration of natural zeolite particles on/into various substrates, *Key Engineering Materials.*, Vol.412, p.119-23.
- 福留高明 (2009) : 対自然における〈身体的主体性〉の問題——サブシステム労働との関連において, *エントロピー学会誌*, 第 67 号, 1-7 頁.
- Yamamoto, O., Ohira, T., Alvarez, K. and Fukuda, M. (2009) : Antibacterial characteristics of CaCO_3 -MgO composites, *Materials Science and Engineering B*, DOI: 10.1016/j.mseb.2009.12.007.
- Yamamoto, O., Alvarez, K., Kikuchi, T. and Fukuda, M. (2009) : Fabrication and characterization of oxygen-diffused titanium for biomedical applications, *Acta Biomaterialia*, Vol.5, p.3605-15.
- Hiroi, M., Rokkaku, T., Matsuda, K., Hisamatsu, T., Shigeta, I., Ito, M., Sakon, T., Koyama, K., Watanabe, K., Nakamura, S., Nojima, T., Nakano, T., Chen, L., Fujiwara, T., Uwatoko, Y., Manaka, H. and Terada, N. (2009) : Ferromagnetism and spin-glass transitions in the Heusler compounds $\text{Ru}_{2-x}\text{Fe}_x\text{CrSi}$, *Physical*

Review B, Vol.79, p.224423-1-10, 10 pages.

「学術関係誌」

中田真一, 加藤純雄, 小笠原正剛 (2009): 分析・評価技術入門, NMR ① 原理と装置構成, *PETROTECH*, 32 巻, 2 号, 143-6 頁.

中田真一, 加藤純雄, 小笠原正剛 (2009): 分析・評価技術入門, NMR ② 固体 NMR 法, *PETROTECH*, 32 巻, 3 号, 217-24 頁.

吉村 哲 (2009): スパッタリング法を用いて作製した薄膜における成膜雰囲気・プロセスの制御による薄膜微細構造の制御<解説>, *真空ジャーナル*, 126 号, 14-21 頁.

「国際会議報告集等」

Ogasawara, M., Amamoto, Y., Horiuchi, H., Kato, S. and Nakata, S. (2009): Synthesis of Nb-containing mesoporous materials with bimodal pores from layered perovskite type potassium niobium oxyfluoride, *International Symposium on Zeolites and Microporous Crystals (ZMPC2009)*, p.1-17.

Kato, S., Sato, H., Ogasawara, M., Nakata, S., Wakabayashi, T. and Nakahara, Y. (2009): Oxygen storage behavior of delafossite-type CuLnO_2 ($\text{Ln}=\text{La}, \text{Y}$), *The 6th International Conference on Materials Engineering for Resources (ICMR2009, Akita, Japan)*, *Proceedings*, p.406-7.

Wakabayashi, T., Nakahara, Y., Ogasawara, M., Kato, S. and Nakata, S. (2009): Mechanism of deactivity in Rh catalysts, *The 6th International Conference on Materials Engineering for Resources (ICMR2009, Akita, Japan)*, *Proceedings*, p.408-9.

Ogasawara, M., Amamoto, Y., Horiuchi, H., Kato, S. and Nakata, S. (2009): Synthesis and Characterization of Nb-containing mesoporous materials from layered perovskite type potassium niobium oxyfluoride, *The 6th International Conference on Materials Engineering for Resources (ICMR2009, Akita, Japan)*, *Proceedings*, p.410-1.

Yamashiro, T., Sato, K., Nomura, M., Ogasawara, M., Kato, S. and Nakata, S. (2009): H_2O_2 oxidation of 1,-dihydropyridines over Mg^{2+} ion exchanged clinoptilolite and solventless solid state acid decomposition of ester to 3,5-pyridinedicarboxylic acid, *The 6th International Conference on Materials Engineering for Resources (ICMR2009, Akita, Japan)*, *Proceedings*, p.371-2.

Egawa, G., Yoshimura, S., Miyazawa, T., Li, G. Q. and Saito, H. (2009): High resolution MFM imaging of in-plane magnetic field gradients using transient oscillation for perpendicular magnetic recording media, *The 6th International Conference on Materials Engineering for Resources (ICMR2009, Akita, Japan)*, *Proceedings*, p.345-9.

Yamamoto, O. (2009): Development of ITO ink for ink-jet printing: evaluation of the novel ink, *Proceedings of the 16th International Display Workshops*, FMC4-1, 4 Pages (CD-ROM).

「研究機関報告等」

中田真一, 加藤純雄, 小笠原正剛, 奥原敏夫, 御園生誠 (2009) : 固体 NMR によるヘテロポリ酸触媒の構造・反応場解析, 秋田大学鉱業博物館, 42 号, 4-16 頁.

中田真一, 加藤純雄, 小笠原正剛, 井上慎一 (2009) : 軽油の超深度脱流プロセス用チタニア系触媒の開発, 秋田大学鉱業博物館, 42 号, 17-33 頁.

石山大三 (2009) : 休廃止鉱山周辺の重金属等有害元素の分布と移動・固定機構の解明, 日本鉱業振興会助成研究成果報告書, 21-5 頁.

Jha, V. K. and Hayashi, S. (2009) : Utilization of Akita's clinoptilolite zeolite for the production of cation exchangers and geopolymers, *Scientific and Technical Reports of Faculty of Engineering and Resource Science, Akita University*, No.30, p.35-40.

Sakon, T., Nagashio, H., Endo, K., Kanomata, T. and Nojiri, H. (2009) : High field magnetism of novel functional transition alloys, *2009 Annual Report of High Field Laboratory for Superconducting Materials, Institute for Materials Research, Tohoku University*, p.84-6.

村上英樹, 小田野直光, 近内亜紀子, 澤田健一, 浅見光史 (2009) : 多孔質珪質素材を用いた対原子力施設災害用放射線遮蔽材の開発, 消防防災科学技術研究開発事例集 II, 総務省消防庁, 91-8 頁.

「著書」

林 滋生 (2009) : セラミックスの事典, VIII 評価技術: 密度, 気孔率 (分担執筆), 朝倉書店.

専攻共通

「研究機関報告等」

坪井ひろみ (2009): スペインのマイクロクレジットは“手段”か“目的”か, 秋田大学工学資源学部研究報告, 30号, 9-14頁.

坪井ひろみ (申荷麗, 中国語訳) (2009): グラミン銀行を知っていますか, 小額信貸扶貧, 60期, 6-8頁.

坪井ひろみ, ノズル・イスラム・チョウドリ (申荷麗, 中国語訳) (2009): 貧困世帯の貯蓄と遺産: 女性の意識と行動, 小額信貸扶貧, 61期, 30-8頁.

「著書」

坪井ひろみ (2009): われら地球家族 ～一度は経験したい国際体験・入門編～ (編著), 遊行社.